



Safety Data Sheet

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|-----------|-------------------------|----------|
| Document Group: | 23-6572-4 | Version Number: | 9.01 |
| Issue Date: | 02/06/24 | Supersedes Date: | 02/06/24 |

SECTION 1: Identification

1.1. Product identifier

3M(TM) Fire Barrier MP+ Stick

Product Identification Numbers

98-0400-5454-0

7000059397

1.2. Recommended use and restrictions on use

Recommended use

Passive fire barrier product for industrial applications

1.3. Supplier's details

| | |
|----------------------|---|
| MANUFACTURER: | 3M |
| DIVISION: | Industrial Specialties Division |
| ADDRESS: | 3M Center, St. Paul, MN 55144-1000, USA |
| Telephone: | 1-888-3M HELPS (1-888-364-3577) |

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

2.1. Hazard classification

Serious Eye Damage/Irritation: Category 1.

Skin Corrosion/Irritation: Category 2.

Reproductive Toxicity: Category 2.

Carcinogenicity: Category 2.

Germ Cell Mutagenicity: Category 2.

Specific Target Organ Toxicity (repeated exposure): Category 1.

2.2. Label elements

Signal word

Danger

Symbols

Corrosion | Health Hazard |

Pictograms**Hazard Statements**

Causes serious eye damage.

Causes skin irritation.

Suspected of damaging fertility or the unborn child.

Suspected of causing cancer.

Suspected of causing genetic defects.

Causes damage to organs through prolonged or repeated exposure:
kidney/urinary tract |

Precautionary Statements**General:**

Keep out of reach of children.

Prevention:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of soap and water.

Immediately call a POISON CENTER or doctor/physician.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF exposed or concerned: Get medical advice/attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

4% of the mixture consists of ingredients of unknown acute oral toxicity.

SECTION 3: Composition/information on ingredients

| Ingredient | C.A.S. No. | % by Wt |
|---------------------------|-------------|------------------------|
| Zinc Borate 2335 | 138265-88-0 | < 25 Trade Secret * |
| Petrolatum | 8009-03-8 | 10 - 20 Trade Secret * |
| Polyisobutylene | 9003-27-4 | 10 - 20 Trade Secret * |
| Styrene-Butadiene Polymer | 9003-55-8 | 10 - 20 Trade Secret * |
| Sodium Silicate | 1344-09-8 | 10 - 19 Trade Secret * |

| | | |
|---|-------------|-----------------------|
| Melamine Phosphate | 41583-09-9 | < 10 Trade Secret * |
| Oxide Glass Chemicals | 65997-17-3 | 1 - 10 Trade Secret * |
| Butadiene-Styrene-Meta-Divinylbenzene Polymer | 26471-45-4 | 1 - 5 Trade Secret * |
| Alpha-Methylstyrene-Isoamylene-Piperylene Polymer | 62258-49-5 | < 3 Trade Secret * |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | 25036-25-3 | < 3 Trade Secret * |
| Fatty Acids, C14-18 and C16-C18-Unsatd. | 67701-06-8 | < 3 Trade Secret * |
| Regenerated Cellulose | 68442-85-3 | < 3 Trade Secret * |
| Synthetic amorphous silica, fumed, crystalline-free | 112945-52-5 | < 3 Trade Secret * |
| Water | 7732-18-5 | < 3 Trade Secret * |
| Rayon Fiber | None | < 3 Trade Secret * |

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision). Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Aldehydes
Carbon monoxide
Carbon dioxide
Hydrogen Chloride

Condition

During Combustion
During Combustion
During Combustion
During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Use personal protective equipment (gloves, respirators, etc.) as required.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|-----------------------------------|-------------|-------------------------|--|--------------------------------|
| SILICA, AMORPHOUS | 112945-52-5 | OSHA | TWA:20 millions of particles/cu. ft.;TWA concentration:0.8 mg/m3 | |
| Oxide Glass Chemicals | 65997-17-3 | Manufacturer determined | TWA(as non-fibrous, respirable)(8 hours):3 mg/m3;TWA(as non-fibrous, inhalable fraction)(8 hours):10 mg/m3 | |
| MINERAL OILS, HIGHLY-REFINED OILS | 8009-03-8 | ACGIH | TWA(inhalable fraction):5 mg/m3 | A4: Not class. as human carcin |
| Paraffin oil | 8009-03-8 | OSHA | TWA(as mist):5 mg/m3 | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Solid

Color

Red

Specific Physical Form:

Putty

Odor

Odorless

Odor threshold

No Data Available

pH

No Data Available

Melting point

Not Applicable

Boiling Point

Not Applicable

Flash Point

Flash point > 93 °C (200 °F)

Evaporation rate

Not Applicable

Flammability (solid, gas)

Not Classified

Flammable Limits(LEL)

Not Applicable

Flammable Limits(UEL)

Not Applicable

Vapor Pressure

Not Applicable

Vapor Density

Not Applicable

Density

1.25 g/cm³

Specific Gravity

1.25 [Ref Std: WATER=1]

Solubility In Water

No Data Available

| | |
|---|-------------------|
| Solubility- non-water | No Data Available |
| Partition coefficient: n-octanol/ water | No Data Available |
| Autoignition temperature | Not Applicable |
| Decomposition temperature | No Data Available |
| Viscosity | No Data Available |
| Molecular weight | No Data Available |
| Volatile Organic Compounds | < 1 % weight |
| VOC Less H2O & Exempt Solvents | < 1 g/l |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
|------------------|------------------|

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing,

ulcerations, significantly impaired vision or complete loss of vision.

Ingestion:

May be harmful if swallowed.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

Additional Health Effects:

Prolonged or repeated exposure may cause target organ effects:

Kidney/Bladder Effects: Signs/symptoms may include changes in urine production, abdominal or lower back pain, increased protein in urine, increased blood urea nitrogen (BUN), blood in urine, and painful urination.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Genotoxicity:

Genotoxicity and Mutagenicity: May interact with genetic material and possibly alter gene expression.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|--------------------------------|------------------------|---|
| Overall product | Ingestion | | No data available; calculated ATE >2,000 - =5,000 mg/kg |
| Zinc Borate 2335 | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Zinc Borate 2335 | Inhalation-Dust/Mist | Rat | LC50 > 4.95 mg/l |
| Zinc Borate 2335 | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Sodium Silicate | Dermal | Rabbit | LD50 > 4,640 mg/kg |
| Sodium Silicate | Ingestion | Rat | LD50 500 mg/kg |
| Petrolatum | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Petrolatum | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Styrene-Butadiene Polymer | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Styrene-Butadiene Polymer | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Polyisobutylene | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Polyisobutylene | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Melamine Phosphate | Dermal | Professional judgement | LD50 estimated to be > 5,000 mg/kg |
| Melamine Phosphate | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Melamine Phosphate | Inhalation-Dust/Mist (4 hours) | similar compounds | LC50 > 5.19 mg/l |
| Oxide Glass Chemicals | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Oxide Glass Chemicals | Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Butadiene-Styrene-Meta-Divinylbenzene Polymer | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Butadiene-Styrene-Meta-Divinylbenzene Polymer | Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Synthetic amorphous silica, fumed, crystalline-free | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Synthetic amorphous silica, fumed, crystalline-free | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 0.691 mg/l |

| | | | |
|---|-----------|-------------------|------------------------------------|
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Rat | LD50 > 5,110 mg/kg |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Dermal | Rat | LD50 > 1,600 mg/kg |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Ingestion | Rat | LD50 > 1,000 mg/kg |
| Alpha-Methylstyrene-Isoamylene-Piperylene Polymer | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Alpha-Methylstyrene-Isoamylene-Piperylene Polymer | Ingestion | Rat | LD50 > 40,000 mg/kg |
| Fatty Acids, C14-18 and C16-C18-Unsatd. | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Fatty Acids, C14-18 and C16-C18-Unsatd. | Dermal | similar compounds | LD50 > 2,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---|------------------------|---------------------------|
| Zinc Borate 2335 | Rabbit | No significant irritation |
| Sodium Silicate | Rabbit | Corrosive |
| Styrene-Butadiene Polymer | Professional judgement | No significant irritation |
| Polyisobutylene | Rabbit | No significant irritation |
| Melamine Phosphate | In vitro data | No significant irritation |
| Oxide Glass Chemicals | Professional judgement | No significant irritation |
| Butadiene-Styrene-Meta-Divinylbenzene Polymer | Professional judgement | Minimal irritation |
| Synthetic amorphous silica, fumed, crystalline-free | Rabbit | No significant irritation |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Rabbit | No significant irritation |
| Fatty Acids, C14-18 and C16-C18-Unsatd. | similar compounds | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|------------------------|---------------------------|
| Zinc Borate 2335 | Rabbit | Severe irritant |
| Sodium Silicate | In vitro data | Corrosive |
| Polyisobutylene | Rabbit | No significant irritation |
| Melamine Phosphate | Rabbit | Mild irritant |
| Oxide Glass Chemicals | Professional judgement | No significant irritation |
| Synthetic amorphous silica, fumed, crystalline-free | Rabbit | No significant irritation |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Rabbit | Mild irritant |
| Fatty Acids, C14-18 and C16-C18-Unsatd. | similar compounds | Mild irritant |

Skin Sensitization

| Name | Species | Value |
|---|-------------------|----------------|
| Zinc Borate 2335 | Guinea pig | Not classified |
| Sodium Silicate | Mouse | Not classified |
| Melamine Phosphate | similar compounds | Not classified |
| Synthetic amorphous silica, fumed, crystalline-free | Human | Not classified |

| | | |
|--|-------------------|----------------|
| | and animal | |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Guinea pig | Not classified |
| Fatty Acids, C14-18 and C16-C18-Unsatd. | similar compounds | Not classified |

Respiratory Sensitization

| Name | Species | Value |
|--|---------|----------------|
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Human | Not classified |

Germ Cell Mutagenicity

| Name | Route | Value |
|---|----------|--|
| Zinc Borate 2335 | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Zinc Borate 2335 | In vivo | Mutagenic |
| Sodium Silicate | In Vitro | Not mutagenic |
| Sodium Silicate | In vivo | Not mutagenic |
| Melamine Phosphate | In Vitro | Not mutagenic |
| Oxide Glass Chemicals | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Synthetic amorphous silica, fumed, crystalline-free | In Vitro | Not mutagenic |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | In vivo | Not mutagenic |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Fatty Acids, C14-18 and C16-C18-Unsatd. | In Vitro | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|---|---------------|-------------------------|--|
| Melamine Phosphate | Ingestion | similar compounds | Carcinogenic |
| Oxide Glass Chemicals | Inhalation | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| Synthetic amorphous silica, fumed, crystalline-free | Not Specified | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test Result | Exposure Duration |
|---|-----------|--|-------------------|-----------------------|----------------------|
| Zinc Borate 2335 | Ingestion | Toxic to male reproduction | Rat | NOAEL 100 mg/kg/day | 92 days |
| Zinc Borate 2335 | Ingestion | Toxic to development | Rat | LOAEL 100 mg/kg/day | during gestation |
| Sodium Silicate | Ingestion | Not classified for development | Mouse | NOAEL 200 mg/kg/day | during gestation |
| Melamine Phosphate | Ingestion | Toxic to male reproduction | similar compounds | NOAEL Not available | 2 generation |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for female reproduction | Rat | NOAEL 509 mg/kg/day | 1 generation |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for male reproduction | Rat | NOAEL 497 mg/kg/day | 1 generation |
| Synthetic amorphous silica, fumed, crystalline-free | Ingestion | Not classified for development | Rat | NOAEL 1,350 mg/kg/day | during organogenesis |

| | | | | | |
|--|-----------|--|--------|---------------------|----------------------|
| | | | | | s |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Ingestion | Not classified for female reproduction | Rat | NOAEL 750 mg/kg/day | 2 generation |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Ingestion | Not classified for male reproduction | Rat | NOAEL 750 mg/kg/day | 2 generation |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Dermal | Not classified for development | Rabbit | NOAEL 300 mg/kg/day | during organogenesis |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Ingestion | Not classified for development | Rat | NOAEL 750 mg/kg/day | 2 generation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|------------------|------------|------------------------|--|-------------------------|---------------------|-------------------|
| Zinc Borate 2335 | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Sodium Silicate | Inhalation | respiratory irritation | May cause respiratory irritation | official classification | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test Result | Exposure Duration |
|---|------------|---|--|-------------------|-----------------------|-----------------------|
| Zinc Borate 2335 | Inhalation | immune system respiratory system heart endocrine system hematopoietic system liver nervous system kidney and/or bladder | Not classified | Rat | NOAEL 0.15 mg/l | 2 weeks |
| Zinc Borate 2335 | Ingestion | endocrine system liver kidney and/or bladder heart skin bone, teeth, nails, and/or hair hematopoietic system immune system nervous system eyes respiratory system vascular system | Not classified | Rat | NOAEL 375 mg/kg/day | 92 days |
| Sodium Silicate | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Dog | LOAEL 2,400 mg/kg/day | 4 weeks |
| Sodium Silicate | Ingestion | endocrine system blood | Not classified | Rat | NOAEL 804 mg/kg/day | 3 months |
| Sodium Silicate | Ingestion | heart liver | Not classified | Rat | NOAEL 1,259 mg/kg/day | 8 weeks |
| Melamine Phosphate | Ingestion | kidney and/or bladder | Causes damage to organs through prolonged or repeated exposure | similar compounds | NOAEL Not available | 90 days |
| Oxide Glass Chemicals | Inhalation | respiratory system | Not classified | Human | NOAEL not available | occupational exposure |
| Synthetic amorphous silica, fumed, crystalline-free | Inhalation | respiratory system silicosis | Not classified | Human | NOAEL Not available | occupational exposure |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Dermal | liver | Not classified | Rat | NOAEL 1,000 mg/kg/day | 2 years |
| Bisphenol A Diglycidyl | Dermal | nervous system | Not classified | Rat | NOAEL | 13 weeks |

| | | | | | | |
|--|-----------|--|----------------|-----|-----------------------|---------|
| Ether-Bisphenol A Copolymer | | | | | 1,000 mg/kg/day | |
| Bisphenol A Diglycidyl Ether-Bisphenol A Copolymer | Ingestion | auditory system heart endocrine system hematopoietic system liver eyes kidney and/or bladder | Not classified | Rat | NOAEL 1,000 mg/kg/day | 28 days |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information**Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

SECTION 13: Disposal considerations**13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information**15.1. US Federal Regulations**

Contact 3M for more information.

EPCRA 311/312 Hazard Classifications:**Physical Hazards**

Not applicable

Health Hazards

| |
|--|
| Carcinogenicity |
| Germ cell mutagenicity |
| Reproductive toxicity |
| Serious eye damage or eye irritation |
| Skin Corrosion or Irritation |
| Specific target organ toxicity (single or repeated exposure) |

Section 313 Toxic Chemicals subject to the reporting requirements of that section and 40 CFR part 372 (EPCRA):

Ingredient

Zinc Borate 2335 (ZINC COMPOUNDS)

C.A.S. No

138265-88-0

% by Wt

Trade Secret < 25

15.2. State Regulations

Contact 3M for more information.

15.3. Chemical Inventories

The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 16: Other information

NFPA Hazard Classification

Health: 3 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group: 23-6572-4

Issue Date: 02/06/24

Version Number: 9.01

Supersedes Date: 02/06/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at www.3M.com