



## Safety Data Sheet

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document Group:** 37-7357-9  
**Issue Date:** 07/25/24

**Version Number:** 9.01  
**Supersedes Date:** 06/11/24

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ MBS Disinfectant Cleaner Fresh Scent Concentrate (Product No. 41, 3M(TM) Chemical Management Systems)

##### Product Identification Numbers

| ID Number      | UPC               | ID Number      | UPC            |
|----------------|-------------------|----------------|----------------|
| 61-0000-6429-7 | 50051125860449    | 61-0000-6431-3 | 50051125860470 |
| 61-0000-6432-1 | 50051125860456    | 61-0000-6433-9 | 50051125860487 |
| 70-0716-6098-2 | 50051125860449    | 70-0716-6099-0 | 50051125860456 |
| 70-0716-6101-4 | 500-51125-86047-0 | 70-0716-6102-2 | 50051125860487 |

7100171530, 7100171524, 7100171517, 7100171526, 7100180391, 7100189193, 7100180393, 7100180389

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Disinfectant

#### 1.3. Supplier's details

**MANUFACTURER:** 3M  
**DIVISION:** Commercial Branding and Transportation Division  
**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA  
**Telephone:** 1-888-3M HELPS (1-888-364-3577)

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

The label elements below were prepared in accordance with OSHA Hazard Communication Standard, 29 CFR 1910.1200. This information may be different from the actual product label information for labels regulated by other agencies.

#### 2.1. Hazard classification

Flammable Liquid: Category 4.

Acute Toxicity (dermal): Category 3.

Acute Toxicity (oral): Category 4.  
Serious Eye Damage/Irritation: Category 1.  
Skin Corrosion/Irritation: Category 1C.  
Specific Target Organ Toxicity (repeated exposure): Category 1.

## 2.2. Label elements

### Signal word

Danger

### Symbols

Corrosion | Skull and crossbones | Health Hazard |

### Pictograms



### Hazard Statements

Combustible liquid.

Toxic in contact with skin.  
Harmful if swallowed.  
Causes severe skin burns and eye damage.

Causes damage to organs through prolonged or repeated exposure:  
respiratory system |

### Precautionary Statements

#### Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wear protective gloves, protective clothing, and eye/face protection.  
Do not eat, drink or smoke when using this product.  
Wash thoroughly after handling.

#### Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor/physician.  
Wash contaminated clothing before reuse.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

#### Storage:

Store in a well-ventilated place. Keep cool.  
Store locked up.

#### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Hazards not otherwise classified**

May cause chemical gastrointestinal burns.

3% of the mixture consists of ingredients of unknown acute dermal toxicity.

**SECTION 3: Composition/information on ingredients**

| <b>Ingredient</b>                             | <b>C.A.S. No.</b> | <b>% by Wt</b>          |
|-----------------------------------------------|-------------------|-------------------------|
| Water                                         | 7732-18-5         | 30 - 60 Trade Secret *  |
| Dimethyldioctylammonium Chloride              | 5538-94-3         | 15 - 18 Trade Secret *  |
| Alkyl C12-18 Dimethylbenzyl Ammonium Chloride | 68391-01-5        | 9 - 11 Trade Secret *   |
| C6-12 Alcohol Ethoxylates                     | 68439-45-2        | 3 - 8 Trade Secret *    |
| Ethanol                                       | 64-17-5           | 1 - 5 Trade Secret *    |
| Sodium Citrate                                | 6132-04-3         | 1 - 5 Trade Secret *    |
| Tetrasodium EDTA                              | 64-02-8           | 1 - 5 Trade Secret *    |
| Fragrance Compound                            | Trade Secret*     | <= 0.5 Trade Secret *   |
| Yellow 5                                      | 1934-21-0         | < 0.05 Trade Secret *   |
| Acid Green 25                                 | 4403-90-1         | <= 0.018 Trade Secret * |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

**Eye Contact:**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

**If Swallowed:**

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Toxic in contact with skin. Skin burns (localized redness, swelling, itching, intense pain, blistering, and tissue destruction). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision). Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable.

**SECTION 5: Fire-fighting measures****5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

**5.2. Special hazards arising from the substance or mixture**

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

| <u>Substance</u> | <u>Condition</u>  |
|------------------|-------------------|
| Carbon monoxide  | During Combustion |
| Carbon dioxide   | During Combustion |

### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire extinguishing foam that is resistant to polar solvents. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. This product is not intended to be used without prior dilution as specified on the product label. Grounding or safety shoes with electrostatic dissipating soles (ESD) are not required with a chemical dispensing system. Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Store away from acids. Store away from oxidizing agents.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available

for the component.

| <b>Ingredient</b> | <b>C.A.S. No.</b> | <b>Agency</b> | <b>Limit type</b>        | <b>Additional Comments</b>   |
|-------------------|-------------------|---------------|--------------------------|------------------------------|
| Ethanol           | 64-17-5           | ACGIH         | STEL:1000 ppm            | A3: Confirmed animal carcin. |
| Ethanol           | 64-17-5           | OSHA          | TWA:1900 mg/m3(1000 ppm) |                              |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

OSHA : United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

## 8.2. Exposure controls

### 8.2.1. Engineering controls

NOTE: When used with a chemical dispensing system as directed, special ventilation is not required. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

NOTE: When used with a chemical dispensing system as directed, eye contact with the concentrate is not expected to occur. The following protection(s) are recommended if the product is not used with a chemical dispensing system or if there is an accidental release, wear protective eye/face protection. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield

Indirect Vented Goggles

#### Skin/hand protection

NOTE: When used with a chemical dispensing system as directed, skin contact with the concentrate is not expected to occur. If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary.

If product is not used with a chemical dispensing system or if there is an accidental release:

Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended:

Apron - polymer laminate

#### Respiratory protection

NOTE: When used with a chemical dispensing system as directed, respiratory protection is not required.

If product is not used with a chemical dispensing system or if there is an accidental release:

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

Half facepiece or full facepiece supplied-air respirator  
Organic vapor cartridges may have short service life.

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Physical state

Liquid

Color

Green

Odor

Lavender

Odor threshold

No Data Available

pH

10 - 12

Melting point

Not Applicable

Boiling Point

96 °C

Flash Point

73 °C [Test Method: Closed Cup]

Evaporation rate

No Data Available

Flammability (solid, gas)

Not Applicable

Flammable Limits(LEL)

No Data Available

Flammable Limits(UEL)

No Data Available

Vapor Pressure

<=44 mmHg [@ 68 °F]

Vapor Density

No Data Available

Density

0.973 g/ml

Specific Gravity

0.973 [Ref Std: WATER=1]

Solubility In Water

100 % [@ 100 °C]

Solubility in Water

Complete

Solubility- non-water

100 % [@ 100 °C]

Solubility- non-water

Complete

Partition coefficient: n-octanol/ water

No Data Available

Autoignition temperature

No Data Available

Decomposition temperature

No Data Available

Viscosity

17.37 mPa-s [@ 21.5 °C ]

Volatile Organic Compounds

10 - 12 % weight

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Not determined

### 10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

##### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause additional health effects (see below).

##### Skin Contact:

Toxic in contact with skin. Corrosive (Skin Burns): Signs/symptoms may include localized redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

##### Eye Contact:

Corrosive (Eye Burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

##### Ingestion:

Harmful if swallowed. Gastrointestinal Corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain; nausea; vomiting; and diarrhea; blood in the feces and/or vomitus may also be seen.

#### Additional Health Effects:

##### Prolonged or repeated exposure may cause target organ effects:

Respiratory Effects: Signs/symptoms may include cough, shortness of breath, chest tightness, wheezing, increased heart rate, bluish colored skin (cyanosis), sputum production, changes in lung function tests, and/or respiratory failure.

#### Additional Information:

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name | Route | Species | Value |
|------|-------|---------|-------|
|------|-------|---------|-------|

|                                               |                                |               |                                                       |
|-----------------------------------------------|--------------------------------|---------------|-------------------------------------------------------|
| Overall product                               | Dermal                         |               | No data available; calculated ATE >200 - =1,000 mg/kg |
| Overall product                               | Ingestion                      |               | No data available; calculated ATE >300 - =2,000 mg/kg |
| Dimethyldioctylammonium Chloride              | Ingestion                      | Mouse         | LD50 > 50 mg/kg                                       |
| Dimethyldioctylammonium Chloride              | Dermal                         | Rabbit        | LD50 170 mg/kg                                        |
| Alkyl C12-18 Dimethylbenzyl Ammonium Chloride | Dermal                         | Not available | LD50 > 2,000 mg/kg                                    |
| Alkyl C12-18 Dimethylbenzyl Ammonium Chloride | Ingestion                      | Not available | LD50 500 mg/kg                                        |
| C6-12 Alcohol Ethoxylates                     | Dermal                         | Rabbit        | LD50 1,500 mg/kg                                      |
| C6-12 Alcohol Ethoxylates                     | Ingestion                      | Rat           | LD50 5,100 mg/kg                                      |
| Tetrasodium EDTA                              | Inhalation-Dust/Mist (4 hours) | Rat           | LC50 > 1.5 mg/l                                       |
| Tetrasodium EDTA                              | Ingestion                      | Rat           | LD50 1,658 mg/kg                                      |
| Ethanol                                       | Dermal                         | Rabbit        | LD50 > 15,800 mg/kg                                   |
| Ethanol                                       | Inhalation-Vapor (4 hours)     | Rat           | LC50 124.7 mg/l                                       |
| Ethanol                                       | Ingestion                      | Rat           | LD50 17,800 mg/kg                                     |
| Fragrance Compound                            | Dermal                         | Rabbit        | LD50 > 5,000 mg/kg                                    |
| Fragrance Compound                            | Ingestion                      | Rat           | LD50 5,200 mg/kg                                      |

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

| Name                                          | Species                | Value                     |
|-----------------------------------------------|------------------------|---------------------------|
| Overall product                               | Professional judgement | Corrosive                 |
| Dimethyldioctylammonium Chloride              | Rabbit                 | Corrosive                 |
| Alkyl C12-18 Dimethylbenzyl Ammonium Chloride | Professional judgement | Corrosive                 |
| Tetrasodium EDTA                              | Rabbit                 | No significant irritation |
| Ethanol                                       | Rabbit                 | No significant irritation |
| Fragrance Compound                            | In vitro data          | Irritant                  |

### Serious Eye Damage/Irritation

| Name                                          | Species                | Value                     |
|-----------------------------------------------|------------------------|---------------------------|
| Dimethyldioctylammonium Chloride              | Rabbit                 | Corrosive                 |
| Alkyl C12-18 Dimethylbenzyl Ammonium Chloride | Professional judgement | Corrosive                 |
| Tetrasodium EDTA                              | Rabbit                 | Corrosive                 |
| Ethanol                                       | Rabbit                 | Severe irritant           |
| Fragrance Compound                            | In vitro data          | No significant irritation |

### Skin Sensitization

| Name                             | Species           | Value          |
|----------------------------------|-------------------|----------------|
| Dimethyldioctylammonium Chloride | similar compounds | Not classified |
| Tetrasodium EDTA                 | Human and animal  | Not classified |
| Ethanol                          | Human             | Not classified |



|                    |               |                |
|--------------------|---------------|----------------|
| Fragrance Compound | In vitro data | Not classified |
|--------------------|---------------|----------------|

### Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

| Name                             | Route    | Value                                                                        |
|----------------------------------|----------|------------------------------------------------------------------------------|
| Dimethyldioctylammonium Chloride | In Vitro | Not mutagenic                                                                |
| Tetrasodium EDTA                 | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Tetrasodium EDTA                 | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| Ethanol                          | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Ethanol                          | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| Fragrance Compound               | In Vitro | Not mutagenic                                                                |

### Carcinogenicity

| Name             | Route     | Species                 | Value                                                                        |
|------------------|-----------|-------------------------|------------------------------------------------------------------------------|
| Tetrasodium EDTA | Ingestion | Multiple animal species | Not carcinogenic                                                             |
| Ethanol          | Ingestion | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

| Name                             | Route      | Value                                  | Species | Test Result           | Exposure Duration            |
|----------------------------------|------------|----------------------------------------|---------|-----------------------|------------------------------|
| Dimethyldioctylammonium Chloride | Ingestion  | Not classified for development         | Rat     | NOAEL 50 mg/kg/day    | during organogenesis         |
| Tetrasodium EDTA                 | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 250 mg/kg/day   | 4 generation                 |
| Tetrasodium EDTA                 | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 250 mg/kg/day   | 4 generation                 |
| Tetrasodium EDTA                 | Ingestion  | Not classified for development         | Rat     | LOAEL 1,000 mg/kg/day | during gestation             |
| Ethanol                          | Inhalation | Not classified for development         | Rat     | NOAEL 38 mg/l         | during gestation             |
| Ethanol                          | Ingestion  | Not classified for development         | Rat     | NOAEL 5,200 mg/kg/day | premating & during gestation |

### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

| Name                                          | Route      | Target Organ(s)        | Value                                                                        | Species                | Test Result         | Exposure Duration |
|-----------------------------------------------|------------|------------------------|------------------------------------------------------------------------------|------------------------|---------------------|-------------------|
| Dimethyldioctylammonium Chloride              | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not Available |                   |
| Alkyl C12-18 Dimethylbenzyl Ammonium Chloride | Inhalation | respiratory irritation | May cause respiratory irritation                                             |                        | NOAEL Not available |                   |
| Tetrasodium EDTA                              | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available |                   |

|                    |            |                                   |                                                                              |                         |                     |               |
|--------------------|------------|-----------------------------------|------------------------------------------------------------------------------|-------------------------|---------------------|---------------|
| Ethanol            | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human                   | LOAEL 9.4 mg/l      | not available |
| Ethanol            | Inhalation | central nervous system depression | Not classified                                                               | Human and animal        | NOAEL not available |               |
| Ethanol            | Ingestion  | central nervous system depression | Not classified                                                               | Multiple animal species | NOAEL not available |               |
| Ethanol            | Ingestion  | kidney and/or bladder             | Not classified                                                               | Dog                     | NOAEL 3,000 mg/kg   |               |
| Fragrance Compound | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not Available |               |

**Specific Target Organ Toxicity - repeated exposure**

| Name             | Route      | Target Organ(s)                                                                                                                                                                                                       | Value                                                                        | Species | Test Result           | Exposure Duration |
|------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|---------|-----------------------|-------------------|
| Tetrasodium EDTA | Inhalation | respiratory system                                                                                                                                                                                                    | Causes damage to organs through prolonged or repeated exposure               | Rat     | NOAEL 0.003 mg/l      | 13 weeks          |
| Tetrasodium EDTA | Inhalation | liver   heart   skin   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   immune system   muscles   nervous system   eyes   kidney and/or bladder   vascular system | Not classified                                                               | Rat     | NOAEL 0.015 mg/l      | 13 weeks          |
| Tetrasodium EDTA | Ingestion  | hematopoietic system   liver                                                                                                                                                                                          | Not classified                                                               | Rat     | NOAEL 2,500 mg/kg/day | 13 weeks          |
| Tetrasodium EDTA | Ingestion  | heart   gastrointestinal tract   muscles   kidney and/or bladder   respiratory system                                                                                                                                 | Not classified                                                               | Rat     | NOAEL 5,000 mg/kg/day | 13 weeks          |
| Ethanol          | Inhalation | liver                                                                                                                                                                                                                 | Some positive data exist, but the data are not sufficient for classification | Rabbit  | LOAEL 124 mg/l        | 365 days          |
| Ethanol          | Inhalation | hematopoietic system   immune system                                                                                                                                                                                  | Not classified                                                               | Rat     | NOAEL 25 mg/l         | 14 days           |
| Ethanol          | Ingestion  | liver                                                                                                                                                                                                                 | Some positive data exist, but the data are not sufficient for classification | Rat     | LOAEL 8,000 mg/kg/day | 4 months          |
| Ethanol          | Ingestion  | kidney and/or bladder                                                                                                                                                                                                 | Not classified                                                               | Dog     | NOAEL 3,000 mg/kg/day | 7 days            |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material

and/or its components.

### Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**EPA Hazardous Waste Number (RCRA):** Not regulated

## SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### 15.1. US Federal Regulations

Contact 3M for more information.

#### EPCRA 311/312 Hazard Classifications:

##### Physical Hazards

Flammable (gases, aerosols, liquids, or solids)

##### Health Hazards

Acute toxicity

Hazard Not Otherwise Classified (HNOC)

Serious eye damage or eye irritation

Skin Corrosion or Irritation

Specific target organ toxicity (single or repeated exposure)

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER.** Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if inhaled or absorbed through skin. Harmful if swallowed. Do not breathe vapor or spray mist. Wear appropriate protective eyewear such as goggles, face shield, or safety glasses. Wear protective clothing and protective (rubber or chemical resistant) gloves. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated

clothing and wash clothing before reuse.

#### FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor immediately for treatment advice..

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

{Note to reviewer: If container size is 5 gallons or larger, the following Environmental Hazards statements will be used:}

#### ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Open dumping is prohibited. Store in original container in areas inaccessible to children.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or refill this container. Wrap empty container and put in trash.

### 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## SECTION 16: Other information

#### NFPA Hazard Classification

Health: 3 Flammability: 2 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include

the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

**Document Group:** 37-7357-9  
**Issue Date:** 07/25/24

**Version Number:** 9.01  
**Supersedes Date:** 06/11/24

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M USA SDSs are available at [www.3M.com](http://www.3M.com)**